

Certificate of Conformity

Certificate's Holder : **Shenzhen Cablelinker Electronics Limited**
Address : Room 312,3rd Floor, Building A2, Baili Creative Park, No.1-1,
LiuheRoad, Liuyue Community, Henggang Street, Longgang
District, Shenzhen

Manufacturer : **Feibu Industrial Co., Ltd.**
Address : 4th Floor, No. 47, Luxi 2nd Road, Xixi Village, Liaobu Town,
Dongguan City, Guangdong Province, China

Product Name : **Foot Protector**
Product Model (S) : Ankle Protector, Knee Protector
Trade Mark : N/A

Related Standard(s): IEC 62321-3-1:2013, IEC 62321-5:2013,IEC 62321-4:2013+A1:2017
IEC 62321-7-1:2015,IEC 62321-7-2:2017 , IEC 62321-6:2015 ,
IEC 62321-8:2017

Certificate Number : HUAX230822041KC
Report No. : HUAX230822041KR

The product described above has been consolidated by us and found in compliance with the council RoHS 2.0 Directive 2011/65/EU Annex II (EU) 2015/863 as last amended by Directive (EU) 2017/2102. It is only valid in connection with the test report



Shenzhen Huaxiang Testing Co., Ltd
201, Building A10, Fuhai Information Port, Xinhe Community, Fuhai Street,
Bao'an District, Shenzhen City, Guangdong Province
Web: [Http:// www.hua-x.com](http://www.hua-x.com)
E-mail: huaxiang@hua-x.com Tel.:+86-0755-23010432



TEST REPORT

Applicant : Shenzhen Cablelinker Electronics Limited

Address : Room 312,3rd Floor, Building A2, Baili Creative Park, No.1-1, LiuheRoad, Liuyue Community, Henggang Street, Longgang District, Shenzhen

Report on the submitted sample said to be:

Sample name : Foot Protector

Trade Mark : N/A

Model : Ankle Protector, Knee Protector

Manufacture : Feibu Industrial Co., Ltd.

Address : 4th Floor, No. 47, Luxi 2nd Road, Xixi Village, Liaobu Town, Dongguan City, Guangdong Province, China

Testing laboratory : Shenzhen Huaxiang Testing Co., Ltd

Address : 201, Building A10, Fuhai Information Port, Fuhai Street, Bao'an District, Shenzhen City

Sample received date : Aug. 22, 2023

Testing period : Aug. 22, 2023 - Aug. 28, 2023

Test Requested:	Conclusion :
The test results comply with the limits of RoHS Directive (EU) 2015/863and (EU)2017/2102 amending Annex II to Directive 2011/65/EU — Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs Content —Di-(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate(DIBP) Content	Pass

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Shenzhen Huaxiang Testing Co., Ltd



Drafted By:

(Kevin su)

Approved By:

LAB Manager: Amy jiang

Date:

Aug. 28, 2023



Test Part Description:.

Specimen No.	Description.
01	Nylon (VELCRO)
02	Black plastic buckle
03	Cotton fiber
04	Elastic band
05	Sponge
06	Elastic fiber
07	VELCRO
08	Breathable composite fabric
09	Ankle compression band
10	Black plastic buckle
11	VELCRO
12	Aluminum strip

TEST RESULT:
1. Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs—RoHS Directive (EU) 2015/863.

Test Items	Unit	Test Method	Result						MDL	Limit
			01	02	03	04	05	06		
Lead (Pb)	mg/kg	IEC 62321-5:2013, ICP-OES	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321-4:2013+A1:2017*, ICP-OES	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	1000
Cadmium(Cd)	mg/kg	IEC 62321-5:2013, ICP-OES	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	100
Hexavalent Chromium (CrVI)	µg/cm ²	IEC 62321-7-1:2015, UV-VIS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.10	0.10
Monobromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Dibromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Tribromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Tetrabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Pentabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Hexabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Heptabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Octabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Nonabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Decabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Sum of PBBs	mg/kg	-	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Dibromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Tribromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Tetrabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Pentabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Hexabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Heptabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Octabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Nonabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Decabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Sum of PBDEs	mg/kg	-	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-	1000

Test Items	Unit	Test Method	Result						MDL	Limit
			07	08	09	10	11	12		
Lead (Pb)	mg/kg	IEC 62321-5:2013, ICP-OES	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321-4:2013+A1:2017*, ICP-OES	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	1000
Cadmium(Cd)	mg/kg	IEC 62321-5:2013, ICP-OES	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	100
Hexavalent Chromium (CrVI)	µg/cm ²	IEC 62321-7-1:2015, UV-VIS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.10	0.10
Monobromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Dibromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Tribromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Tetrabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Pentabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Hexabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Heptabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Octabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Nonabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Decabromobiphenyl	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Sum of PBBs	mg/kg	-	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Dibromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Tribromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Tetrabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Pentabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Hexabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Heptabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Octabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Nonabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Decabromodiphenyl ether	mg/kg	IEC 62321-6:2015, GC-MS	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	-
Sum of PBDEs	mg/kg	-	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-	1000

Note:

1. mg/kg = milligram per kilogram = ppm
2. N.D. = Not Detected (< MDL)
3. MDL = Method Detection Limit
4. "-" = Not Regulated
5. Boiling-water-extraction:
 Negative = Absence of Cr(VI) coating / surface layer: the detected concentration in boiling-water-extraction solution is less than 0.10µg with 1cm² sample surface area.
 Positive = Presence of Cr(VI) coating / surface layer: the detected concentration in boiling-water-extraction solution is greater than 0.13µg with 1cm² sample surface area.
 Inconclusive = the detected concentration in boiling-water-extraction solution is greater than 0.10µg and less than 0.13µg with 1cm² sample surface area.
6. Positive = result be regarded as not comply with RoHS requirement
7. Negative = result be regarded as comply with RoHS requiremen

2. Di-(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP) Content—RoHS Directive (EU) 2015/863.

Test method: With reference to IEC 62321-8:2017*, analysis was performed by GC-MS.

Test Items	Unit	Result						MDL	Limit
		01	02	03	04	05	06		
Di-(2-ethylhexyl) phthalate (DEHP)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	1000
Benzylbutyl phthalate (BBP)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	1000
Dibutyl phthalate (DBP)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	1000
Diisobutyl phthalate(DIBP)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	1000

Test Items	Unit	Result						MDL	Limit
		07	08	09	10	11	12		
Di-(2-ethylhexyl) phthalate (DEHP)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	1000
Benzylbutyl phthalate (BBP)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	1000
Dibutyl phthalate (DBP)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	1000
Diisobutyl phthalate(DIBP)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	1000


Note:

1. mg/kg = milligram per kilogram = ppm
2. N.D. = Not Detected (<MDL)
3. MDL = Method detection limit
4. “*”=The test method of Phthalates is not authorized by CNAS


FLOW CHART FOR ROHS TESTING:

Pb/Cd/Hg/Cr6+ Testing Flow Chart


1) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr⁶⁺ test method excluded)



PBBs/PBDEs Testing Flow Chart



Phthalates Testing Flow Chart



PHOTOGRAPH OF SAMPLE:







***** THE END *****