

# MSDS

## MATERIAL SAFETY DATA SHEET

**Client :** Guangzhou Jiuzhuang Cosmetics Co., LTD  
Building 1-4, Bangsheng 2nd Road, Xinya Street, Huadu District,  
Guangzhou

**Prepared by :** Shenzhen CIIC Testing Technical Service Co., Ltd.  
A1506, Niulanqian Building, Minzhi Avenue, Xinniu Community, Minzhi  
Street, Longhua District, Shenzhen

**Report Date :** 2024-01-16

**Report No. :** CS240116005SR

Shenzhen CIIC Testing Technical Service Co., Ltd.

**Drafted by**

Erik

**Checked by**

Andrew

**Approved by**

Jonathan





## SECTION 1- CHEMICAL PRODUCT INFORMATION

### Product details:

**Product name** : BEARD BALM  
**Model** : 30g, 60g  
**Mark** : /  
**End use** : Moisturizing care, improve frizzy beard  
**TEL** : 13726865743  
**Fax** : /  
**E-mail** : 1989179514@qq.com

### Supplier/Manufacturer

**Manufacturer** : Guangzhou Jiuzhuang Cosmetics Co., LTD  
**Address** : Building 1-4, Bangsheng 2nd Road, Xinya Street, Huadu District, Guangzhou

### Summary:

As specified by the client, This safety data sheet was prepared in accordance with Un GHS Rev.7, The EU CLP REGULATION(EC) No 1272/2008, and US OSH Hazard Communication Standards(29 CFR 1910.1200). Please refer to attached report for details.

## SECTION 2- HAZARDS IDENTIFICATION

**Emergency Overview** : Not likely to be an irritant in the solid form. Not likely to form a dust in the solid filament form.

**Potential Acute Health Effects:** **Inhalation:** Not likely to form an inhalable dust in the solid filament form and for the intended use.

**Sensitization:** Not likely to result in a sensitizing effect under the intended use.

### (a) Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

### (b) Label elements

The product does not need to be labelled in accordance with EC directives or respective national laws.

### (c) Additional information

Not applicable.



### SECTION 3- COMPOSITION /HAZARDOUS INGREDIENTS

| Chemical Name                             | CAS No.     | Content (wt%) |
|---|-------------|---------------|
| SQUALANE                                  | 111-01-3    | 54.5%         |
| BUTYROSPERMUM PARKII<br>(SHEA BUTTER)     | 194043-92-0 | 25%           |
| BEESWAX                                   | 8006-40-4   | 6%            |
| CAMELLIA JAPONICA SEED OIL                | ----        | 5%            |
| COPERNICIA CERIFERA<br>(CARNAUBA) WAX     | 8015-86-9   | 5%            |
| SIMMONDSIA CHINENSIS<br>(JOJOBA) SEED OIL | 61789-91-1  | 3%            |
| PHYTOSTEROLS                              | 68441-03-2  | 1%            |
| TOCOPHEROL                                | 1406-66-2   | 0.49%         |
| BIOTIN                                    | 58-85-5     | 0.01%         |

### SECTION 4- FIRST AID MEASURES

- Eye contact** : Immediately flush eyes with water for at least 15 minutes. Remove contact lenses if easy to do. Seek medical attention if any symptoms persist.
- Skin contact** : Wash exposed areas promptly with water and mild soap. Remove contaminated clothing immediately and launder before reuse. Seek medical advice or attention if irritation occurs.
- Inhalation** : Move to fresh air. Keep at rest and in a position comfortable for breathing. If you feel unwell, seek medical advice.
- Ingestion** : Do not induce vomiting. Wash out mouth with water. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Seek immediate medical advice or attention.
- First Aider Protection** : Wear protective gloves to avoid exposure to contaminants.



## SECTION 5- FIGHTING MEASURES

- Special Fire Fighting Procedures** : No special requirements, but it is necessary to prevent fire water from polluting rivers, sewers and drinking water.
- Extinguishing Media** : Foam, dry powder, carbon dioxide, sand. Extinguishing with water is ineffective.
- Special Information** : As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Dusts at sufficient concentrations can form explosive mixtures with air. Combustion generates toxic fumes.
- Special protective equipment for firefighters** : Wear air respirators and protective gloves, fire suits.

## SECTION 6- ACCIDENTAL RELEASE MEASURES

- Personal Precautions** : Isolate release area and keep unnecessary or untrained people away. See Section 8 for personal protection gear.
- Accidental Release Measures** : When the package is damaged and damp, the product is forbidden to use. Any product recovery or disposal must comply with local, state, federal, international or country specific regulations.

## SECTION 7- HANDING AND STORAGE

- HANDLING** : Flame retardant moisture-proof, explosion-proof & non-polluting.
- STORAGE** : Store in General Storage Area [Green Storage] with other items with nonspecific storage hazards. Store in a cool, dry, well-ventilated, locked store room away from incompatible materials.



## SECTION 8- EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering Controls** : Use appropriate ventilation to maintain airborne concentration limits below exposure limits. If the concentration of oil mist exceeds 5mg/ m3, the exhaust fan should be turned on to extract.
- Personal Protection:**
- Eye and Face Protection** : Avoid direct contact with eyes and wear chemical safety goggles.
- Skin Protection** : Wear latex gloves. Wear antistatic overalls.
- Respiratory Protection** : Use a properly fitted NIOSH respirator in areas where the exposure is unknown or above the OSHA PEL or ACGIH TLV.
- Exposure Limits** : Not Applicable

## SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

- |  |                    |
|--|--------------------|
| <b>Appearance</b>                                | Paste              |
| <b>Color</b>                                     | white/light yellow |
| <b>Odor</b>                                      | Multi-flavor       |
| <b>Density</b>                                   | Not available.     |
| <b>Boiling Point</b>                             | Not available.     |
| <b>Melting Point</b>                             | Not available.     |
| <b>Flashpoint</b>                                | Not available.     |
| <b>Vapour pressure</b>                           | Not available.     |
| <b>Solubility in water</b>                       | Not available.     |
| <b>Partition coefficient (n-octanol / water)</b> | Not available.     |
| <b>Viscosity</b>                                 | Not available.     |
| <b>PH Value</b>                                  | Not available.     |
| <b>Permission of solvent inhalation</b>          | available.         |
| <b>Solubility</b>                                | Not available.     |
| <b>Ignition temperature</b>                      | Not available.     |



## SECTION 10- STABILITY AND REACTIVITY

- Stability** : Product stability.
- Conditions to Avoid** : Any source of ignition such as flame, welding arc, heat and impact.
- Incompatibilities with Other Materials** : High temperatures and strong oxidizing agents should be avoided, otherwise, hazardous reactions may occur.
- Substances to avoid** : Flammable substances.
- Hazardous decomposition products** : Not available.

## SECTION 11- TOXICOLOGICAL INFORMATION

- Acute toxicity** : Oral: No data available  
Inhalation: No information available  
Transdermal: No data available
- Sensitization** : Not available.
- Chronic or long-term toxicity** : Not available.
- Special Remarks on Chronic Effects on Humans** : Not available.

## SECTION 12- ECOLOGICAL INFORMATION

- Ecotoxicity** : No information available.
- BOD5 and COD** : No information available.
- Products of Biodegradation** : No information available.
- Toxicity of the Products of Biodegradation** : No information available.
- Special Remarks on the Products of Biodegradation** : No information available.



## SECTION 13- DISPOSAL CONSIDERATIONS

### Waste Disposal:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

**Unused products:** Used in the shelf life.

**Used / contaminated products:** Approved waste collectors to designated waste disposalsites.

## SECTION 14- TRANSPORT INFORMATION

This product applied to by sea, by air and by land

### Land

**Un-number :** Not Regulated ( Not dangerous goods)

**UN proper shipping name :** Not Regulated ( Not dangerous goods)

**Transport hazard class ( es ) :** Not Regulated ( Not dangerous goods )

**Packing group :** Not Regulated (Not dangerous goods )

### Sea(IMDG/IMO)

**Un-number :** Not Regulated ( Not dangerous goods)

**UN proper shipping name :** Not Regulated ( Not dangerous goods)

**Transport hazard class ( es ) :** Not Regulated ( Not dangerous goods )

**Packing group :** Not Regulated (Not dangerous goods )Remark: Not subject to the IMDG Code 2020 Edition (inc.Amendment 40-20)

### Air(IATA/ICAO)

**Un-number :** Not Regulated ( Not dangerous goods)

**UN proper shipping name :** Not Regulated ( Not dangerous goods)

**Transport hazard class ( es ) :** Not Regulated ( Not dangerous goods )

**Packing group :** Not Regulated (Not dangerous goods Remark: Not subject to the IATA DGR (63rd, 2022)

### Transportation precautions:

Transport vehicles should be equipped with corresponding types and quantities of fire-fighting equipment and leakage emergency treatment equipment.

It is strictly prohibited to mix and transport with oxidants, edible chemicals, etc.

Vehicle exhaust pipes carrying this item must be equipped with a flame arrester.



## SECTION 15- REGULATORY INFORMATION

### Law Information

《Dangerous Goods Regulation》  
《Recommendations on the Transport of Dangerous Goods Model Regulations》  
《International Maritime Dangerous Goods 》  
《Technical Instructions for the Safe Transport of Dangerous Goods》  
《Classification and code of dangerous goods》  
《Occupational Safety and Health Act》 (OSHA)  
《Toxic Substances Control Act》 (TSCA)  
《Consumer Product Safety Act》 (CPSA)  
《Federal Environmental Pollution Control Act》 (FEPCA)  
《The Oil Pollution Act》 (OPA)  
《Superfund Amendments and Reauthorization Act Title III (302/311/312/313) 》  
《Resource Conservation and Recovery Act》 (RCRA)  
《Safety Drinking Water Act》 (CWA)  
《California Proposition 65 》  
《Code of Federal Regulations 》 (CFR)

In accordance with all Federal, State and Local laws.

## SECTION 16- OTHER INFORMATION

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be Applicable.

\*\*\*\*\* THE END \*\*\*\*\*





# Certificate of Conformity

Certificate Number: DL-2020093778C

**Applicant:** Guangzhou Shengxin Technology Co., Ltd.  
Room 7C, Ricaixuan, Huating, no. 368, Tianhe North Road, Tianhe District,  
Guangzhou City.

**Manufacturer:** Guangzhou Shengxin Technology Co., Ltd.  
Room 7C, Ricaixuan, Huating, no. 368, Tianhe North Road, Tianhe District,  
Guangzhou City.

**Product:** Electric microneedle instrument

**Brand Name:** MarsDoctor

**Model No.:** MarsDoctor A1  
MarsDoctor A1 PRO, MarsDoctor A3, MarsDoctor A5, MarsDoctor A6,  
MarsDoctor A7, MarsDoctor N2, MarsDoctor M3, MarsDoctor M5,  
MarsDoctor M6

**Test Standard:** EN 55014-1:2017  
EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019  
EN 55014-2:2015  
EN 61000-4-2:2009, EN 61000-4-3: 2019, EN 61000-4-4:2012,  
EN 61000-4-5:2014+A1:2017, EN 61000-4-6:2014/AC:2015  
EN 61000-4-11:2019

The EUT described above has been tested by us with the listed standards and found in compliance with the council EMC directive 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive. It is only valid in connection with the test report number: DL-2020093778E.

CE



This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant. Without the written approval, It is not permitted to use the test lab's logo.

Shenzhen DL Testing Technology Co., Ltd.  
101-201, Building C, Shuanghuan, No.8, Baoqing Road, Baolong Industrial Zone, Baolong Street,  
Longgang District, Shenzhen, Guangdong, China

Web: [www.dl-cert.com](http://www.dl-cert.com) E-mail: [Service@dl-cert.com](mailto:Service@dl-cert.com) Tel: 400-688-3552





# MSDS

## MATERIAL SAFETY DATA SHEET

**Client :** Guangzhou Jiuzhuang Cosmetics Co., LTD  
Building 1-4, Bangsheng 2nd Road, Xinya Street, Huadu District,  
Guangzhou

**Prepared by :** Shenzhen CIIC Testing Technical Service Co., Ltd.  
A1506, Niulanqian Building, Minzhi Avenue, Xinniu Community, Minzhi  
Street, Longhua District, Shenzhen

**Report Date :** 2024-01-16

**Report No. :** CS240116006SR

Shenzhen CIIC Testing Technical Service Co., Ltd.

**Drafted by**

Erik

**Checked by**

Andrew

**Approved by**

Jonathan





## SECTION 1- CHEMICAL PRODUCT INFORMATION

### Product details:

**Product name** : BEARD OIL  
**Model** : 30ml、60ml  
**Mark** : /  
**End use** : Moisturizing care, improve frizzy beard  
**TEL** : 13726865743  
**Fax** : /  
**E-mail** : 1989179514@qq.com

### Supplier/Manufacturer

**Manufacturer** : Guangzhou Jiuzhuang Cosmetics Co., LTD  
**Address** : Building 1-4, Bangsheng 2nd Road, Xinya Street, Huadu District, Guangzhou

### Summary:

As specified by the client, This safety data sheet was prepared in accordance with Un GHS Rev.7, The EU CLP REGULATION(EC) No 1272/2008, and US OSH Hazard Communication Standards(29 CFR 1910.1200). Please refer to attached report for details.

## SECTION 2- HAZARDS IDENTIFICATION

**Emergency Overview** : Not likely to be an irritant in the solid form. Not likely to form a dust in the solid filament form.

**Potential Acute Health Effects:** **Inhalation:** Not likely to form an inhalable dust in the solid filament form and for the intended use.

**Sensitization:** Not likely to result in a sensitizing effect under the intended use.

### (a) Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

### (b) Label elements

The product does not need to be labelled in accordance with EC directives or respective national laws.

### (c) Additional information

Not applicable.



### SECTION 3- COMPOSITION /HAZARDOUS INGREDIENTS

| Chemical Name                             | CAS No.     | Content (wt%) |
|---|-------------|---------------|
| Argania Spinosa Kernel Oil                | 223747-87-3 | 2.5%          |
| Squalane                                  | 111-01-3    | 3.14%         |
| Helianthus Annuus(Sunflower)<br>Seed Oil  | 8001-21-6   | 35%           |
| Ethylhexyl Palmitate                      | 29806-73-3  | 0.8%          |
| Macadamia Ternifolia Seed Oil             | 128497-20-1 | 1%            |
| Camellia Japonica Seed Oil                | ---         | 2.5%          |
| Isopropyl Myristate                       | 110-27-0    | 40%           |
| Simmondsia Chinensis (Jojoba)<br>Seed Oil | 61789-91-1  | 14.5%         |
| D-Biotin                                  | 58-85-5     | 0.01%         |
| Tocopherol                                | 1406-66-2   | 0.5%          |
| Hydrogenated Apricot Kernel Oil           | ---         | 0.05%         |

### SECTION 4- FIRST AID MEASURES

- Eye contact** : Immediately flush eyes with water for at least 15 minutes. Remove contact lenses if easy to do. Seek medical attention if any symptoms persist.
- Skin contact** : Wash exposed areas promptly with water and mild soap. Remove contaminated clothing immediately and launder before reuse. Seek medical advice or attention if irritation occurs.
- Inhalation** : Move to fresh air. Keep at rest and in a position comfortable for breathing. If you feel unwell, seek medical advice.
- Ingestion** : Do not induce vomiting. Wash out mouth with water. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Seek immediate medical advice or attention.
- First Aider Protection** : Wear protective gloves to avoid exposure to contaminants.



## SECTION 5- FIGHTING MEASURES

- Special Fire Fighting Procedures** : No special requirements, but it is necessary to prevent fire water from polluting rivers, sewers and drinking water.
- Extinguishing Media** : Foam, dry powder, carbon dioxide, sand. Extinguishing with water is ineffective.
- Special Information** : As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Dusts at sufficient concentrations can form explosive mixtures with air. Combustion generates toxic fumes.
- Special protective equipment for firefighters** : Wear air respirators and protective gloves, fire suits.

## SECTION 6- ACCIDENTAL RELEASE MEASURES

- Personal Precautions** : Isolate release area and keep unnecessary or untrained people away. See Section 8 for personal protection gear.
- Accidental Release Measures** : When the package is damaged and damp, the product is forbidden to use. Any product recovery or disposal must comply with local, state, federal, international or country specific regulations.

## SECTION 7- HANDING AND STORAGE

- HANDING** : Flame retardant moisture-proof, explosion-proof & non-polluting.
- STORAGE** : Store in General Storage Area [Green Storage] with other items with nonspecific storage hazards. Store in a cool, dry, well-ventilated, locked store room away from incompatible materials.



## SECTION 8- EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering Controls** : Use appropriate ventilation to maintain airborne concentration limits below exposure limits. If the concentration of oil mist exceeds 5mg/ m3, the exhaust fan should be turned on to extract.
- Personal Protection:**
- Eye and Face Protection** : Avoid direct contact with eyes and wear chemical safety goggles.
- Skin Protection** : Wear latex gloves. Wear antistatic overalls.
- Respiratory Protection** : Use a properly fitted NIOSH respirator in areas where the exposure is unknown or above the OSHA PEL or ACGIH TLV.
- Exposure Limits** : Not Applicable

## SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

- |  |                          |
|--|--------------------------|
| <b>Appearance</b>                                | Liquid                   |
| <b>Color</b>                                     | Transparent/light yellow |
| <b>Odor</b>                                      | Much taste               |
| <b>Density</b>                                   | Not available.           |
| <b>Boiling Point</b>                             | Not available.           |
| <b>Melting Point</b>                             | Not available.           |
| <b>Flashpoint</b>                                | Not available.           |
| <b>Vapour pressure</b>                           | Not available.           |
| <b>Solubility in water</b>                       | Not available.           |
| <b>Partition coefficient (n-octanol / water)</b> | Not available.           |
| <b>Viscosity</b>                                 | Not available.           |
| <b>PH Value</b>                                  | Not available.           |
| <b>Permission of solvent inhalation</b>          | available.               |
| <b>Solubility</b>                                | Not available.           |
| <b>Ignition temperature</b>                      | Not available.           |



## SECTION 10- STABILITY AND REACTIVITY

- Stability** : Product stability.
- Conditions to Avoid** : Any source of ignition such as flame, welding arc, heat and impact.
- Incompatibilities with Other Materials** : High temperatures and strong oxidizing agents should be avoided, otherwise, hazardous reactions may occur.
- Substances to avoid** : Flammable substances.
- Hazardous decomposition products** : Not available.

## SECTION 11- TOXICOLOGICAL INFORMATION

- Acute toxicity** : Oral: No data available  
Inhalation: No information available  
Transdermal: No data available
- Sensitization** : Not available.
- Chronic or long-term toxicity** : Not available.
- Special Remarks on Chronic Effects on Humans** : Not available.

## SECTION 12- ECOLOGICAL INFORMATION

- Ecotoxicity** : No information available.
- BOD5 and COD** : No information available.
- Products of Biodegradation** : No information available.
- Toxicity of the Products of Biodegradation** : No information available.
- Special Remarks on the Products of Biodegradation** : No information available.



## SECTION 13- DISPOSAL CONSIDERATIONS

### Waste Disposal:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

**Unused products:** Used in the shelf life.

**Used / contaminated products:** Approved waste collectors to designated waste disposalsites.

## SECTION 14- TRANSPORT INFORMATION

This product applied to by sea, by air and by land

### Land

**Un-number :** Not Regulated ( Not dangerous goods)

**UN proper shipping name :** Not Regulated ( Not dangerous goods)

**Transport hazard class ( es ) :** Not Regulated ( Not dangerous goods )

**Packing group :** Not Regulated (Not dangerous goods )

### Sea(IMDG/IMO)

**Un-number :** Not Regulated ( Not dangerous goods)

**UN proper shipping name :** Not Regulated ( Not dangerous goods)

**Transport hazard class ( es ) :** Not Regulated ( Not dangerous goods )

**Packing group :** Not Regulated (Not dangerous goods )Remark: Not subject to the IMDG Code 2020 Edition (inc.Amendment 40-20)

### Air(IATA/ICAO)

**Un-number :** Not Regulated ( Not dangerous goods)

**UN proper shipping name :** Not Regulated ( Not dangerous goods)

**Transport hazard class ( es ) :** Not Regulated ( Not dangerous goods )

**Packing group :** Not Regulated (Not dangerous goods Remark: Not subject to the IATA DGR (63rd, 2022)

### Transportation precautions:

Transport vehicles should be equipped with corresponding types and quantities of fire-fighting equipment and leakage emergency treatment equipment.

It is strictly prohibited to mix and transport with oxidants, edible chemicals, etc.

Vehicle exhaust pipes carrying this item must be equipped with a flame arrester.



## SECTION 15- REGULATORY INFORMATION

### Law Information

《Dangerous Goods Regulation》  
《Recommendations on the Transport of Dangerous Goods Model Regulations》  
《International Maritime Dangerous Goods 》  
《Technical Instructions for the Safe Transport of Dangerous Goods》  
《Classification and code of dangerous goods》  
《Occupational Safety and Health Act》 (OSHA)  
《Toxic Substances Control Act》 (TSCA)  
《Consumer Product Safety Act》 (CPSA)  
《Federal Environmental Pollution Control Act》 (FEPCA)  
《The Oil Pollution Act》 (OPA)  
《Superfund Amendments and Reauthorization Act Title III (302/311/312/313) 》  
《Resource Conservation and Recovery Act》 (RCRA)  
《Safety Drinking Water Act》 (CWA)  
《California Proposition 65 》  
《Code of Federal Regulations 》 (CFR)

In accordance with all Federal, State and Local laws.

## SECTION 16- OTHER INFORMATION

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be Applicable.

\*\*\*\*\* THE END \*\*\*\*\*